

Lose yourself....

# FLEETWOOD CARAVANS















Taking luxury to another level ...

Following our success last year, enhanced by winning the 2002 Caravan of the Year Award with the Heritage 600-CB, Fleetwood continues to take great pride in innovative designs complemented by quality fixtures and fittings throughout the whole model range.

Once again there are many new and exciting reasons for choosing a Fleetwood caravan. From the new elegant front and rear elevations on the Colchester models, the Bleached Beech furniture boards in the Sonata range creating a light and modern feel and the key fob operated "Protect" security system in the Heritage giving you complete peace of mind, you will be spoilt for choice as Fleetwood offers excellent value for money.



Based in Long Melford, Suffolk, from a highly motivated and experienced workforce, our aim is to be leaders in innovation along with consideration towards our customers needs both old and new. Hence, we will endeavour to continue introducing exciting ideas that are not only viable but affordable.

Our large dealer network ensures sales outlets and service centres in all the major areas of Britain. The loyalty of these dealers over the years has ensured a continuous link of experience and knowledge to pass on to our customers.

Listening to our customers, offering the best of service and producing the finest touring caravans in Britain today enables you to chose Fleetwood with complete confidence.






# The HERITAGE













Fully equipped for Satellite television with dual location for the Satellite decoder and distribution to all TV outlets, a Radio/CD player linked to twin speakers, microwave, programmable central heating system and concealed floor mounted radiators offering state of the art amenities as standard.

Allied to such a comprehensive list of standard features is the introduction of white framed, double glazed windows and a wire-less Fleetwood security system with key-fob operation to ensure maximum peace of mind - all within the efficiently used, wide body that accommodates everyone with ease.























The

# HERITAGE























# Selected Features for 2003










- \* Full window blinds and flyscreens incorporated within all opening windows except for the three front windows where the blinds/flyscreens are mounted on the interior face of the windows.
- \* New 2003 Remis "Tilt and Slide" rooflight mounted in the front area roof section incorporating a night blind and flyscreen facility and 12v lighting within the frame.
- \* Removable front chest with pull-out table top. (Heritage 640-EB only)
- \* Quartz clock. Gallery rail in chromed silver satin. Nickel "D" handles throughout.
- \* Removable garment hanging rail in the wardrobe.
- \* New style white framed windows to all exterior elevations except the front elevation.
- \* Large fridge freezer stack under microwave oven with grill facility.
- \* Doormat and tray with brush out facility Caravan Entrance Step.
- \* 14" Alloy wheels. Spare wheel (NOT alloy) Low pressure tyre valves.
- \* New style graphics, model numbers and slimline twin band surround.
- \* Fleetwood "Protect" Wireless Security System with key fob operation.
- \* Electric flush toilet with built in header
- \* Fully equipped for Satellite television with dual location for Satellite decoder and distribution to all TV outlets.
- \* Winterhof stabiliser.





# The COLCHESTER









By introducing a dramatic and very stylish new shape for 2003 the Colchester continues to lead the 'pack' with innovative ideas combined with the expected high quality, both inside and out. Currently with a choice of 7 layouts, plus the 500-4 being introduced later this year, the options are unlimited within this range. The drop down double bed facility is re-introduced within the 520-ES proving that we really do listen to our customers!


Designed for all-season touring, the terracotta and cream chenille furnishings enhanced by the warmth of the co-ordinated furniture and work tops are designed with relaxation in mind.








# Selected Features for 2003

















# The SONATA









After only one year the Sonata has proved to be very popular. With four layouts, from the compact 2 berth Serenade with end kitchen to the spacious luxury of the Melody and all having a new stylish rear elevation this year, the trend is sure to continue. The modern clean lines created by the Bleached Beech furniture and Ash doors, combined with colour linked soft furnishings and Chenille upholstery, offer space and comfort unlimited.









## Selected Features for











- \* Spinflo oven in Oyster. Four burner hob with flame failure device, flush fit glass top and grill.
- \* Fully fitted washroom vanity units with mixer tap and full width mirror over vanity unit.
- \* Large Tilt & Slide rooflight in front roof section plus additional rooflight in saloon area with night blind and flyscreen facility.
- \*Concealed security data chip within construction, VIN identity number etched to all windows and die stamped to the chassis. High security single key operation.
- \* TV station with 230v/12v aerial connection
- \* TV aerial with amplifier.
- \* Electrolux 77 litre fridge with full width freezer and manual ignition.
- \* Three piece rear panel incorporating modern new ABS top spoiler section, smooth aluminium centre panel with highlight ribbing and profiling. Modern style ABS lower panel incorporating rear light clusters and number plate recess.
- \* Fixing points for rear mounted cycle rack. Exterior access battery box (excluding battery).
- \* Awning light, 12v reading lights and Smoke Alarm.
- \* Flared wheel arches over 13" wheels. BPW fully galvanised chassis, axle and running gear with spring assisted handbrake.
- \* Full mains electrics with two 230v sockets and 25m mains hook up facility. Truma 3kW space heater with ducted blown air system.
- \* Ultrastore water heater

# FLEETWOOD SPECIFICATIONS

- \* All models comply with European standards Construction.
- High gloss ABS front panel and back panel the latter incorporating a high level spoiler with brake light, rear light clusters with stop, tail, side, fog and reversing lights. Chromed trims and number plate surround.

  \* BPW fully galvanised chassis, axle and running gear with spring assisted handbrake.

  \* Part laminated roof section.
- \* Fully insulated, bonded floor and walls. Meets grade 2 classification for thermal heating and insulation.

  \*Concealed metal wall plates and timber rails for secure furniture fixing.

- \*Exterior access battery box (excluding battery).

  \* Exterior access battery box (excluding battery).

  \* Large inset LPG locker with twin hinge/complete removal facility. Incorporated gas supporting strut.
- \* Winterhof stabiliser

## Electrical

- \* Electrical control panel with ELCB.
  \* Mains electrics with three 230v sockets. 2 x 12v sockets and 2 x TV
- 230v and 12v reading lights including twin 230v mains reading
- lights incorporating a dimmer switch.

  \* Switchmode charger/transformer and 25m mains hook up cable
- connection.

  \*Brushed satin 12v circular centre ceiling lights and Awning light.

  \*Fully equipped for Satellite television with dual location for Satellite decoder and distribution to all TV outlets.

  \*Status 530 TV aerial with Booster Box.

- \* New rear light clusters and high level brake lights.

  \* Sealed wet locker with exterior door access and 230v socket.

- \* Microwave oven with integral grill facility. \* Large Fridge Freezer Stack.
- \* Exterior door with window and window blind and full exterior door cassette flyscreen.
- \* Removable front chest with pull-out table top. (Heritage 640 EB only)
- \*\*Pomestic quality reflex foam upholstery including backrests.

  \*\*Double glazing with night latch ventilation and concealed fasteners.

  \*\*Full window blinds and flyscreens incorporated within all opening windows except for the three front windows where the blinds/flyscreens.
- are mounted on the interior face of the windows.

  \*All windows opening and double glazed. Grey dot screen printed windows.

  \*New 2003 Remis "Tilt and Slide" rooflight mounted in the front area roof section incorporating a night blind and flyscreen facility and 12v lighting within the frame
- \* Multi-directional rooflight with sliding night blind and flyscreen to main compartment.
- Removable garment hanging rail in the wardrobe
- \* Bunk ladder (where bunks supplied).

  \* Quartz clock. Gallery rail in chromed silver satin. Nickel "D" handles
- Deep hardwood edges to all work surfaces.
- \* Doormat and tray with brush out facility. Caravan Entrance Step.
  \* 14" Alloy wheels, Spare wheel (NOT alloy). Low pressure tyre valves.
- \* New style graphics, model numbers and slimline twin band surround.

- Heating and Plumbing:
  \* Alde Compact 3000 Total Heat System with dual fuel
- operation, programmable thermostatic control and concealed mounted radiators.
- \* Pressurised plumbing system.
- \*Inboard semi-rigid piped water system with Whale interlocking
- \* Whale submersible pump.
  \* Electric flush toilet with built in header tank.
- \* 28mm semi-rigid waste piping all sited to twin outlets mounted to the offside of the caravan towards the rear.

### Security Features:

- \*Fleetwood "Protect" Wireless Security System with key fob
- operation.
  \*Smoke alarm
- \* Concealed security data chip with caravan construction.
  \*Single key high security locks.
- \* Identity number etched to windows and stamped on chassis.







## HERITAGE

Models	640CB	640EB	640ES
Berths	4	3 optional 4	4 optional 6
Internal Length	6.35m/20′10″	6.35m/20′10″	6.35m/20′10″
Overall Length	8.00m/26'3"	8.00m/26'3"	8.00m/26'3"
Overall Width	2.21m/7'3"	2.21m/7'3"	2.21m/7′3″
Internal Height	1.94m/6′4¹¹²′′	1.94m/6′4¹/²″	1.94m/6'4 <sup>1/2</sup> "
Overall Height(including aerial)	2.72m/8′11″	2.72m/8′11″	2.72m/8′11"
Mass in running order (inc. 3%)	1410kg/27.71cwt	1435kg/28.20cwt	1425kg/28.00 cwt
Essential habitation equipment	81kg/1.59cwt	81kg/1.59cwt	81kg/1.59cwt
Personal effects payload	131kg/2.57cwt	*131kg/2.57cwt	*141kg/2.77cwt
Optional equipment payload	78kg/1.53cwt	*53kg/1.04cwt	*53kg/1.04cwt
Total allowable payload	290kg/5.70cwt	265kg/5.21cwt	275kg/5.40cwt
Maximum technical permissible laden mass	1700kg/33.41cwt	1700kg/33.41cwt	1700kg/33.41cwt
Awning length ground to ground	10.70m/35′1¹/4″	10.70m/35′1¹/4″	10.70m/35′1 <sup>1/4</sup> "
Tyre size	175/65 R 14	175/65 R 14	175/65 R 14
Load speed index	82T	82T	82T
Tyre pressure (psi)	32	32	32
BED SIZES			
Front double	6'4" x 4'6"	6'4" x 6'0"	6'4" × 5'10"
	1.93m x 1.37m	1.93m x 1.82m	1.93m x 1.78m
or		6'4" x 4'8"	•
		1.93m x 1.42m	
or singles	-	6′0″ x 2′3″	5′10″ x 2′3″
		1.83m x 0.69m	1.78m x 0.69m
Rear double	6′3″ x 4′4″		6'4" × 4'6"
	1.91m x 1.32m		1.93m x 1.37m
or single			6'0" x 2'6"
			1.83m x 0.76m
Side single		6'0" x 3'2"	1075
		1.83m x 0.97m	
Bunk	- *	5′11″ x 1′11″	5′10″ × 2′0″
		1.81m x 0.59m	1.78m x 0.61m
Optional Rear Double			6'0" x 4'6"
			1.83m x 1.37m

All models comply with European standards.

\*Ai modes comply with European standards.

Construction:

Three piece rear panel incorporating modern new ABS top spoiler section, smooth aluminium centre panel with highlight ribbing and profiling. Modern style ABS lower panel incorporating rear light

clusters and number plate recess.

\* BPW fully galvanised chassis, axle and running gear with spring

assisted handbrake.

\* One piece acrylic capped ABS front elevation panel incorporating three opening windows and integral grab handles.

\* Part laminated rxof section.

\* Meets grade 2 classification for thermal heating and insulation. \*Concealed metal wall plates and timber rails for secure furniture

\*Fixing points for rear mounted cycle rack.

\*Exterior access battery box (excluding battery).

\*Large inset LPG locker with hinged door access.

\*Full mains electrics with two 230v sockets.

\* 12v reading lights at the front end. \* Switch mode charger/transformer with ELCB.

\* Awning light. \* TV aerial with amplifier.

\*TV station with 230v/12v and aerial connection.
\*25m mains hook up facility.

\* 77 litre fridge with full width freezer.

\* Free-standing table with dedicated storage area.

\* Superior quality reflex foam bedding including backrests.
\* Fully fitted washroom vanity units with mixer tap and shower.

\* Double glazing with night latch ventilation.

\* All windows opening and double glazed.

\* Full window blinds and flyscreens to all opening windows.

\* Large "Tilt and Slide" Remis Rooflight.

\*\*Removable front chest with pull-out table top (Serenade, Rhapsody & Melody only)

Pull-out roller slatted beds

Doormat and caravan entrance step.
Bunk ladder (where bunks provided).
Highlight slim styled twin banding with new graphics.

Heating and Plumbing:

\* Truma 3kw space heater with Ultraheat ducted blown air system. Dual LPG and 230v operation.

\* Ultrastore water heater. Dual LPG and 230v operation.

\* Pressurised plumbing system.
\* Inboard semi-rigid piped water system with Whale

interlocking connections.

\* Manual cassette toilet.

\* 28mm semi-rigid waste piping all sited to twin outlets mounted to the offside of the caravan towards the rear.

### Security Features:

Smoke alarm.


\* Concealed security data chip with caravan construction.

\* High security single key operation.

\* VIN identity number etched to all windows and die stamped to the chassis

## SONATA















0	U	U	
SERENADE	HARMONY	MELODY	RHAPSODY
2	5	5	4
4.05m/13'31/2"	4.66m/15′31/2"	5.13m/16'10"	5.13m/16'10"
5.71m/18′9″	6.32m/20'9"	6.79m/22'31/2"	6.79m/22'31/2"
2.21m/7'3"	2.21m/7'3"	2.21m/7'3"	2.21m/7'3"
1.94m/6'41/2"	1.94m/6'41/2"	1.94m/6'41/2"	1.94m/6'41'2"
2.72m/8'11"	2.72m/8'11"	2.72m/8'11"	2.72m/8'11"
910kg/17.88cwt	1000kg/19.65cwt	1050kg/20.63cwt	1065kg/20.93cwt
89kg/1.75cwt	89kg/1.75cwt	89kg/1.75cwt	81kg/1.59cwt
98kg/1.93cwt	133kg/2.61cwt	139kg/2.73cwt	129kg/2.54cwt
53kg/1.41cwt	18kg/0.35cwt	42kg/0.83cwt	45kg/0.88cwt
240kg/4.72cwt	240kg/4.72cwt	280kg/5.50cwt	255kg/5.01cwt
1150kg/22.60cwt	1240kg/24.37cwt	1320kg/25.94cwt	1320kg/25.94cwt
8.42m/27'71/2"	9.00m/29'61/2"	9.35m/30'8"	9.35m/30'8"
175 x 13 6ply	175 x 13 6ply	175 x 13 6ply	175 x 13 6ply
94N	94N	94N	94N
52	52	54	54
6'4" x 6'0"	6'4" x 4'6"	6'4" x 6'0"	6'4" x 6'0"
1.93m x 1.83m	1.93m x 1.37m	1.93m x 1.83m	1.93m x 1.83m
6'0" x 2'2"		6'0" x 2'2"	6'0" x 2'2"
1.83m x 0.66m		1.83m x 0.66m	1.83m x 0.66m
	6'1" x 3'11 <sup>1/4</sup> "	6'4" x 4'0"	-
	1.85m x 1.20m	1.93m x 1.22m	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	#	
			6'0" x 2'2"
			1.83m x 0.66m
	6'0" x 1'11"	6'0" x 1'11"	5′10″ x 1′11″
	1.83m x 0.59m	1.83m x 0.59m	1.78m x 0.59m

# FLEETWOOD SPECIFICATIONS

\* All models comply with European standards.

### Construction:

New style high gloss ABS one piece front panel and back panel the latter incorporating a high level spoiler with brake light and rear light clusters with stop, tail, side, fog and reversing lights. Matt black rear fenders.

\*BPW fully galvanised chassis, axle and running gear with spring assisted handbrake.

\*Part laminated roof section.

\* Fully insulated, bonded floor and walls. Meets grade 2 classification for thermal heating and insulation.
\* Concealed metal wall plates and timber rails for secure furniture fixing.

\* Exterior gas barbecue point and exterior vented awning warmer \* Fixing points for rear mounted cycle rack.

\* Exterior access battery box (excluding battery).

\* Large inset LPG locker with removable door and gas supporting strut. Twin key lock operation.

- \* Electrical control panel with ELCB.
- Mains electrics with three 230v sockets. 2 x 12v socket and 2 x TV aerial sockets.
  230v and 12v reading lights and 25m mains hook up cable connection.
  Switchmode charger/transformer.

- Switchmode charger/transformer.
  Circular centre 12v ceiling lights and Awning light.
  Status 315 TV aerial with Booster Box
  Carted 360o circular operation TV table (Colchester 520-ES only)
  Sealed wet locker with exterior door access and 230v socket.
- \* High level running lights

## Heating and Plumbing:

\* Truma 3kw space heater with Ultraheat ducted blown air system linked to Awning Warmer vent on nearside. Dual LPG and 230v operation.

and 250v operation.

\* Ultrastore water heater. Dual LPG and 230v operation.

\* Pressurised plumbing system.

\* Inboard semi-rigid piped water system with Whale interlocking connections.

\* Manual flush toilet with built in header tank.


\* Chrome washroom taps and chrome shower fittings

\* 28mm semi-rigid waste piping all sited to twin outlets mounted to the offside of the caravan towards the rear.

## Security Features:


- \* Smoke alarm.
- \* Concealed security data chip with caravan construction.
- \* Single key high security locks.
- \* Identity number etched to windows and stamped on chassis.

## COLCHESTER











Models	420-2	470-2EB	520-4EB	520-5L
Berths	2	2	4	5
Internal Length	4.66m / 15'3 1/2"	4.66m / 15'3 1/2"	5.13m /16'10"	5.13m /16'10"
Overall Length	6.32m / 20′ 9″	6.32m / 20′ 9″	6.79m / 22'3 1/2"	6.79m / 22'3 <sup>1/2"</sup>
Overall Width	2.21m / 7′3″	2.21m / 7'3"	2.21m / 7'3"	2.21m / 7'3"
Internal Height	1.94m / 6'4 1/2"			
Overall Height(including aerial)	2.72m / 8'11"	2.72m / 8'11"	2.72m / 8'11"	2.72m / 8'11"
Mass in running order (inc. 3%)	1060kg / 20.83cwt	1055kg / 20.73cwt	1130kg / 22.21cwt	1120kg / 22.01cwt
Essential habitation equipment	81kg / 1.59cwt	81kg / 1.59cwt	81kg / 1.59cwt	81kg / 1.59cwt
Personal effects payload	104kg / 2.04cwt	104kg / 2.04cwt	129kg / 2.54cwt	139kg /2.73cwt
Optional equipment payload	30kg / 0.59cwt	35kg / 0.69cwt	10kg / 0.20cwt	10kg / 0.20cwt
Total allowable payload	215kg / 4.22cwt	220kg / 4.32cwt	220kg / 4.32cwt	230kg / 4.52cwt
Maximum technical permissible laden mass	1275kg / 25.06cwt	1275kg / 25.06cwt	1350kg / 26.53cwt	1350kg / 26.53cwt
Awning length ground to ground	9.00m / 29'6 1/2"	9.00m / 29'6 1/2"	9.35m /30'8"	9.35m /30'8"
Tyre size	195 / 65 R 14	195 / 65 R 14	195 / 70 R 14	195 / 70 R 14
Load speed index	93N	93N	95N	95N
Tyre pressure (psi)	42	42	42	42
BED SIZES				
Front double	6'4" x 6'2"	6'4" x 6'1"	6'4" x 6'1"	6'4" x 6'1"
	1.93m x 1.88m	1.93m x 1.85m	1.93m x 1.85m	1.93m x 1.85m
or	6'4" x 4'8"	6'4" x 4'8"	6'4" x 4'8"	6'4" x 4'8"
	1.93m x 1.42m	1.93m x 1.42m	1.93m x 1.42m	1.93m x 1.42m
or singles	6'2" x 2'2"	6'1" x 2'2"	6'1" x 2'2"	6'1" x 2'2"
	1.88m x 0.66m	1.85m x 0.66m	1.85m x 0.66m	1.85m x 0.66m
Rear double		-	-	6'1" x 3'11 1/4"
				1.85m x 1.20m
or single				6'1" x 2'2"
				1.85m x 0.66m
side single			6'0" x 2'2"	
			1.83m x 0.66m	
Bunk	2.4	-	5′10″ x 1′11″	6'2" x 1'11"
			1.78m x 0.59m	1.88m x 0.59m
Option Bunk				2

General Features:

Drop down double bed facility (520-ES only)
Power fridge with full width freezer.
Exterior door with window and window blind and full exterior door cassette flyscreen.
Front beds 1920mm (6' 2") in most models.
Domestic quality reflex foam upholstery including backrests.
Manual flush toiler with built in header tank.
Double glazing with night latch ventilation and concealed fasteners.
Full window blinds and flyscreens to all opening windows.
All windows opening and double glazed. Grey dot screen printed windows.
Multi-directional rooflight with sliding night blind and flyscreen to main compartment.
Large Remis Tilt and Slide Rooflight with night blind and flyscreen facility.
Removable front chest with pull-out table top. (All models except 520-ES, 560-4 and 560-4EK).
Barbecue point.
Doormat and tray with brush out facility.
Quartz clock.
Sculptured corner and armrest cushions and two scatter cushions.
Deep hardwood edges to all work surfaces.
Fixing points for rear mounted cycle rack
Bunk ladder where top bunks are supplied as standard specification.
Caravan Entrance Step.
Spare wheel and tyre and securing clamp.
New style twin waist banding and smart new graphics.







		P
520-4ES	560-4	560-4EK
4	4 optional 6	4
5.13m /16'10"	5.68m / 18'7 1/2"	5.68m / 18'7 1/2"
6.79m / 22'3 1/2"	7.34m / 24'1"	7.34m / 24'1"
2.21m / 7'3"	2.21m / 7'3"	2.21m / 7'3"
1.94m / 6'4 1/2"	1.94m / 6'4 1/2"	1.94m / 6'4 1/2"
2.72m / 8'11"	2.72m / 8'11"	2.72m / 8'11"
1120kg / 22.01cwt	1195kg / 23.48cwt	1185kg / 23.29cwt
81kg / 1.59cwt	81kg / 1.59cwt	81kg / 1.59cwt
129kg / 2.54cwt	*134kg / 2.64cwt	134kg / 2.64cwt
20kg / 0.39cwt	*50kg / 0.98cwt	60kg / 1.18cwt
230kg / 4.52cwt	265kg / 5.21cwt	275kg / 5.41cwt
1350kg / 26.53cwt	1460kg / 28.69cwt	1460kg / 28.69cwt
9.35m /30'8"	10.25m / 33'7 1/2"	10.25m / 33'7 1/2"
195 / 70 R 14	165 x 14 8ply	165 x 14 8ply
95N	97P	97P
42	65	65
6'4" x 4'6"	6'4" x 4'6"	6'4" x 4'6"
1.93m x 1.37m	1.93m x 1.37m	1.93m x 1.37m
		6'4" x 2'2"
410		1.93m x 0.66m
6′2 x 4′0″	6'3" x 4'3"	
1.88m x 1.22m	1.91m x 1.30m	
	6'1" x 2'7"	
	1.85m x 0.79m	
	R. S.	6'0" x 2'2"
		1.83m x 0.66m
	-	5′10 x 1′11″
	(10)/ 1/11/	1.78m x 0.59m
	6'2" x 1'11"	

1.88M x 0.59M























## FLEETWOOD CARAVANS

Fleetwood Caravans Ltd, Hall Street, Long Melford, Suffolk, CO10 9JP
Telephone: 01787 378705/880987 Fax: 01787 880594
www.fleetwoodcaravans.co.uk E-mail:fleetwoodcaravans@dial.pipex.com

## Warranty

All Fleetwood caravans are supported by a full three year factory-backed warranty. For the first year this warranty is unconditional and covers every aspect of the caravan. In years two and three it is a condition of the Fleetwood Talisman scheme that the caravan is serviced by an appointed Fleetwood dealer at the end of 12 and 24 months from it's original purchase. The warranty then provides comprehensive cover for all major external and internal items. In the first year the caravan may be taken to any Fleetwood dealership for warranty work, irrespective of where it was purchased.

## Fleetwood Caravan Owner's Club

The Fleetwood Owner's club is open to all purchasers of Fleetwood caravans, and exists to bring fellow owners together in a friendly relaxed way. Members enjoy a varied rally programme including an annual Dinner Dance and a visit to the Fleetwood factory.

The Club has a web site at <a href="https://www.foc.nildram.co.uk">www.foc.nildram.co.uk</a>
Details may be obtained from the Club Secretary, Phil Jacobs, 26 Heron Way, Stotfold, Hitchin, Herts. SG5 4QB, Telephone: 01462 730302, E-mail: <a href="mailto:phil.jacobs@btinternet.com">phil.jacobs@btinternet.com</a>

Whilst every effort is made to maintain the specifications and descriptions appearing herein, Fleetwood Caravans Limited reserves the right to make, at any moment and without notice, any change in this specification of any caravan or any equipment supplied with it. In this brochure some of the photographs may feature items which are not included within the model specification - your Fleetwood Caravans Limited retailer will confirm these and all specification details prior to you making a purchase decision. Fleetwood Caravans Limited retailers are not agents of Fleetwood Caravans Limited and are therefore unable to bind Fleetwood Caravans Limited or make any representation or undertaking whatsoever on behalf of Fleetwood Caravans Limited. The awning length measurement shown in the technical specification is to be interpreted as a general guide only and enquiry should be made from each individual awning manufacturer as to the correct size. The illustrations and descriptions given are intended to be a general guide only, colour reproduction is subject to the limitations of the production process and the issue of this brochure does not constitute an offer.